




LEFT ENGINE

FACTORY
REBUILT 6
ENGINE LOG

N 688AC

SERIAL NO. TE-262

 TELEDYNE CONTINENTAL MOTORS

LEFT

This engine model T0520C7, serial No. 238978A,
has been rebuilt by Teledyne Continental Motors. All applicable
Federal Aviation Administration regulations and mandatory Teledyne
Continental bulletins have been complied with. This log book shall
indicate zero hours.

By

[Signature]

Date

11-14-80

 **TELEDYNE CONTINENTAL MOTORS**
Aircraft Products Division

ENGINE DESCRIPTION

*installed
3504 3/23/81*

DATE _____ MODEL _____ SERIAL NO. _____

RATED H.P. _____ MAXIMUM H.P. _____

RATED R.P.M. _____ MAXIMUM R.P.M. _____ OIL PRESSURE _____

BORE _____ STROKE _____ DISPLACEMENT _____ CU. IN. _____

COMPRESSION RATIO _____ GEAR RATIO _____

PROPELLER _____ HUB DESIGN _____ HUB SERIAL NO. _____

BLADE DESIGN _____ BLADE SERIAL NO. _____ BLADE SERIAL NO. _____

MAXIMUM HUB H.P. _____ MAXIMUM BLADE H.P. _____

PITCH _____ DIAMETER _____ LENGTH _____


OWNERS NAME _____

ADDRESS _____ CITY _____ STATE _____

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
<p>Date <u>2-10-86</u> Total Time _____</p> <p>Hour Meter <u>3565.8</u> I certify that this <u>ENGINE</u> has been inspected in accordance with a <u>100 HRL ANNUAL</u> inspection and was determined to be in an airworthy condition. A. D. notes through issue <u>85-22-10</u> were checked for applicability and compliance. Details on file under work order <u>11000</u></p> <p>A & P No. <u>263514400</u> <i>[Signature]</i></p> <p>I A No. <u>263514409</u> <i>[Signature]</i></p> <p style="text-align: center;">COMPRESSION TEST</p> <div style="border: 2px solid red; padding: 5px; width: fit-content; margin: 10px auto;"> <p>1-80/70, 2-80/70, 3-80/70</p> <p>4-80/70, 5-80/70, 6-80/78</p> </div>													
<p>HOUR METER/TACH TIME <u>3565.8</u> HOURS.</p> <p>CHANGED OIL, REPLACED FILTER/CLEANED SCREEN, SERVICED 12 QTS. AEROSHELL 500</p> <p>OIL ENGINE GROUND RUN AND LEAK CHECKED O.K. DATE <u>2-10-86.</u></p> <p>A & P # <u>263514409</u></p> <p>SIGNATURE <i>[Signature]</i></p>													
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICEN NUM
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
3-04-87			CHANGED OIL			REPLACE FILTER					REPLACE LOWER		
			SPARKS PLUGS			INSTALL NEW (BLUE)					COIL'S IN LE		
			AND BIGHT MAGS										
			HOUR METER 3594.8								TOTAL ENG 99.8		
<p style="color: blue; font-size: small;">I certify that this ENGINE has been inspected in accordance with an 100 HRS - ANNUAL inspection and determined to be in airworthy condition.</p>													
			03-04-87								RI 1413616		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
Apr 9/11	3817		7	13	13.7						Changed oil and filter. Cleaned spark plugs. C/w AD 77-13-22 spark case for cracks no reports noted at this time. This engine has been inspected. A poor condition and has been determined to be in a poor condition. C/w AD 2228817		
Apr 9/11	3863		9	59	9.90						Changed oil and filter. Cleaned spark plugs. C/w AD 77-13-22 inspection of spark case for cracks no reports noted at this time. C/w AD 94-01-03 Bendix Ign Coil C/w by inspection. C/w AD 94-06-09 Bendix Ign capacitor C/w by inspection. See yellow tabs / work order for repairs. (Exec Access). C/w AD 94-09-07 inspection of engine mounts. No reports noted at this time. Replaced missing intake pipe bolt @ #4 cyl. C/w AD 93-16-15 inspection and replacement of fuel pump coupling. C/w AD 2228817		
BOUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.				
9/24/95	A10TT		3863.9			50359.90					This engine has been inspected with a 100HR/ANNUAL inspection and has been determined to be in Airworthy condition. IA #2228817			
12-22-95	A10TT		3910.6			Eng TSO	406.6				Cleared & Gapped SPARK plugs performed compression check #1 77/80 #2 77/80 #3 74/80 #4 79/80 #5 79/80 #6 79/80 changed Eng. oil & Filter. Checked MAG Timing & points. Replaced Ignition Harness with New C/w AD 95-03-14 Due checked Eng. mounts next, due at 4010.6 AD 94-12-12 N/A By Registration number AD 9409-07 superseded to AD 95-03-14. AD 93-10-02 N/A By DATE AD 91-19-03 N/A By Date Cores AD 88-03-06 N/A By Type of Filter AD 87-23-08 Due AT CRANK SHAFT REMOVAL FROM CRANK CASE. AD 86-13-04 R3 N/A By DATE AD 81-24-06 N/A By DATE of MFR. AD 81-01-04 N/A By DATE. I certify this engine has been inspected in accordance with a 100HR/ANNUAL inspection and has been determined to be in Airworthy condition. IA #27-111538			
BROUGHT FORWARD														
TOTALS														

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
"I certify this <u>Engine</u> has been inspected in accordance with <u>Annual</u> Inspection and was determined to be in airworthy condition." Date <u>3 Dec 02</u> Tot Time <u>4030:0</u> Signature <u>[Signature]</u> A&P <u>2057200 AF</u>													
JUNE 10 th 2003 HOUR METER 4067.0 T.T.E. 547.0 SFRM. OIL DRAINED REPLACED OIL FILTER ADDED 10-QTS PHILLIPS 20-50 X/C. Wagon K Rampel A&P 522742926.													
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
SEPT. 18 th 2003											ENGINE TOTAL TIME 598.0 SFRM		
											ZINC OIL DRAINED ADDED 10 QTS PHILIPS 20-50X1C OIL FILTER REPLACED		
											<i>Thomas K Rempel</i> A+P 522742426		
DEC 17 th 2003											TT. SFRM 628.0 HRS.		
											COMPRESSION /80: #1-68 #2-62 #3-64 #4-78 #5-78 #6-78		
											PLUGS CLEANED, GAPPED, TESTED. MAG TO ENG TIMING CHECKED / ADJUSTED		
											INTAKE AIR FILTER CLEANED. FUEL INLET SCREEN CLEANED.		
											I CERTIFY THIS ENGINE WAS INSPECTED IN ACCORDANCE WITH A-100 th HR		
											INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.		
											<i>Thomas K Rempel</i> A+P 522742426		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
I certify this <u>Engine</u> has been inspected in accordance with <u>Annual</u> Inspection and was determined to be in airworthy condition. Date <u>Jan 19</u> Tot Time <u>418.0</u> Signature <u>[Signature]</u> A&P <u>20522004</u>													
JAN 19 th 2004											Hour Meter 418.0 OIL CHANGE 10-QTS PHILLIPS 20-50 x/c REPLACED OIL FILTER NO LEAKS J. James K. Bempel A&P 522742426		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
MAY 20 th 2005						43	22.3		TSFRM	802.3			
OIL CHANGED - ADDED 10-QTS PHILLIPS 20-50 x/c. FILTER REPLACED - RUN-UP OK. Waman R Tempel ATP 522742426													
OCT. 17 th 2005						43	77.0		TTFRM	857.0	HRS		
OIL CHANGED ADDED 10-QTS PHILLIPS 20-50 x/c. REPLACED FILTER #48109. RUN-UP CHECKS OIL NO LEAKS. Waman R Tempel ATP 522742426.													
14 February 2006						44	06.3						
Hobbs reads 4406.3 hours. Removed cylinder #2 SNFF 3594-2 and reinstalled after repair by Firewall Forward haveland CO, using new ring set and gaskets, due to low compression/leaking exhaust valve see maintenance release in the aircraft records, Run-up check leaks and systems found satisfactory. Dauderly 52588 4251 IA													
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
14 th FEB 2006	HOBBS 4406.8		TTSFRM 886.8										
	INSPECTED RIGHT AND LEFT MAG IMPULSE COUPLINGS - CHECKED O.K. AD 2005-12-06 (OLD-96-12-01)												
	COMPRESSION PRIOR TO CYL #2 - REPAIR / 80: - COLD - #1 - 72 #2 - 27 #3 - 78 #4 - 75 #5 - 78 #6 - 73.												
	PULLED FUEL SCREEN + CLEANED CLEANED AND GAPPED PLUGS MAG TO ENG TIMING CHECKED & SET. FUEL INJECTORS CLEANED.												
	I CERTIFY THIS ENGINE WAS INSPECTED IN ACCORDANCE WITH A 100 HR INSPECTION AND WAS FOUND TO BE IN AIRWORTHY CONDITION.												
	Zsawm K Rempel ATP 5227A2426												
14 Feb 2006	TTC 4406.8		- I CERTIFY THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH NO MAJOR DEFECTS & FOUND TO BE AIRWORTHY										
	AQQ ATP 2052209 AI												
16 APRIL 2006	HOBBS 4425.8		OIL CHANGED TO QTS PHILLIPS 20-50 x/C. ADDED REPLACED OIL FILTER. RUN-UP SATISFACTORY. NO LEAKS										
	Zsawm K Rempel ATP 5227A2426												
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
27 th MAY 2007			HOBBS	4555.7		T.T. ENGINE		1035.7					
DRAINED OIL - REPLACED FILTER ADDED 10-QTS PHILLIPS 20-50X1C. Run-up - CHECKED FOR LEAKS <u>W.K. Rempel A+P 1785452</u>													
20 th SEPT 2007			HOBBS	4598.3		ENGINE TTS FROM		1078.3					
DRAINED OIL - REPLACED FILTER ADDED 10-QTS PHILLIPS 20-50 X1C. ADJUSTED HIGH RPM STOP ON GOVERNOR RUN-UP O.K. - NO LEAKS. <u>W.K. Rempel A+P 1785452</u>													
9 FEB '08			HOBBS	4631.0		ENG-S FROM		1111 HRS					
CHANGED OIL FILTER, ADDED 10-QTS PHILLIPS 20-50 X1C. REMOVED PROP ACCUMULATOR. SEE REVISED WTE BAL. ADJ. PROP. GOVERNOR HIGH RPM. REPLACED BRACKET AIR FILTER. CHECKED MAG-ENG TIMING. COMPRESSION / 80: #1-75 #2-77 #3-71 #4-74 #5-75 #6-74. PLUGS CLEANED, TESTED, GAPPED.													
BROUGHT FORWARD CLEANED FUEL FILTER. I CERTIFY THIS ENGINE TOTALS WAS INSPECTED I.A.W. A 100-HR INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <u>W.K. Rempel</u> <u>A+P 1785452</u>													

Supervisor: W.K. Rempel Inspector: W.K. Rempel
 AD# 2007-4-9 & 2007-26-09 W/K

"I certify this ENGINE
 has been inspected in accordance
 with Aircraft Inspection and
 was determined to be in airworthy
 condition."
 Date 9 Feb 08 T.T. Eng. 1111.0
 Signature [Signature] Tac Time 4631.0
 ASP 3052200 AT

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
I certify this <u>2009</u> <u>2052200AI</u> has been inspected in accordance with <u>Aviation</u> inspection and was determined to be in airworthy condition. Date <u>2 May 09</u> Tot Time <u>4 249.0</u> Signature: <u>[Signature]</u> I.R.P. <u>2052200AI</u>													
27 MAY 2009											HOBBS 4792.0 TTSTFRM 1252.0 REPLACED OIL FILTER, ADDED 10-QTS PHILLIPS 20-50X1C. RUN-UP CHECK. NO LEAKS. Zifan K Rempel A+P 1785452		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
23-AUG-2009			HOBBS 4811.5			T.T. SFRM			1291.5				
DRAINED OIL, REPLACED OIL FILTER, ADDED 10-QTS PHILLIPS 20-50 XLC.													
RUN-UP CHECK O.K. <i>[Signature]</i> AHP 1785452.													
17-FEB-2010			HOBBS 4850.8			TT SFRM			1330.8 HRS				
OIL DRAINED, REPLACED OIL FILTER, ADD 10-QTS PHILLIPS 20-50 XLC.													
RUN-UP CHECK FOR LEAKS <i>[Signature]</i> AHP 1785452.													
This engine has			AD 2009.24-52 W/A PA ON DATE										
been inspected in accordance			AD 2009.19-7 EQ3 Cycles W/A PA ON DATE										
with Annual Inspection and			AD 2009.16-3 Superior Cycles W/A JOWE WSSILCO										
was determined to be in airworthy													
condition "													
Date			TT SFRM 1366.1										
Signature			Date 7 Apr 10 Tot Time 4843.1										
BROUGHT FORWARD			<i>[Signature]</i> AHP 2052200 AS										
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER										
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.													
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> "I certify this <u>CUSINE</u> has been inspected in accordance with <u>Annex</u> Inspection and was determined to be in airworthy condition." Date <u>JUNE 2012</u> Time <u>4979.1</u> Signature <u>[Signature]</u> A.P. 20522006E ADDRESS: 36 Austin Gold Dunes VA NOT NOTIFIED </div>												<u>2nd JUNE 2012</u>		<u>HOBBS 4979.1 TT SFRM 1482.1</u> <u>CYL. COMPRESSION OVER 80: #1-61 #2-70 #3-50</u> <u>#4-74 #5-74 #6-77 TIMING CHECKED.</u> <u>FUEL STRAINER CLEANED - CHECKS GOOD. PLUGS</u> <u>CLEANED. I CERTIFY THIS ENGINE WAS INSPECTED</u> <u>IN ACCORDANCE WITH A 100-HR INSPECTION AND WAS</u> <u>DETERMINED TO BE IN AIRWORTHY CONDITION.</u> <u>Blank K Kempel A.P. 17854520</u>									
BROUGHT FORWARD																							
TOTALS																							

